



E2260SWDA


21.5 inch (54.6 cm) LCD MONITOR

Vibrant viewing, energy-efficient performance



Integrated Speakers

Built-in speakers make it easy to catch up with family, friends and colleagues. For movies, music, games and more, you'll enjoy quality audio without the hassle of connecting external speakers.




5ms Response Time

A pixel response time of 5ms GTG means speed without the smear for an enhanced experience. Fast-moving action and dramatic transitions will be rendered smoothly without the effects of ghosting.



Kensington Lock

Kensington Lock is an anti-theft system, comprising a metal-reinforced hole in the body of the respective device, to use with a metal cable secured with a key/lock system. Kensington locks enable you to secure your AOC monitor during a LAN event, an organisation, or wherever you carry it.



Vesa Mount

AOC's Ergo Base stands bring versatility, sturdiness and ease of use in one package. But do you still want to use your wall mount or multi-monitor setup using desk mounts? VESA mounts bring you the uppermost flexibility. Upside-down, in pivot mode, on top of each other, attach your monitor wherever you want using 3rd party mounts and stands thanks to the VESA mount option.

General

Model name	E2260SWDA
EAN	4038990000000
Product Line	Pro-line
Series	60 Series
Channel	B2B
Classification	Mainstream
Section	Business
Launch date	30-12-2014

Screen

Resolution	1920x1080
Refresh rate	60Hz
Screen size (inch)	21.5 inch
Screen size (cm)	54.6 cm
Backlight	WLED
Panel Type	TN
Aspect ratio	16:9
Display Colours	16.7 Million
Active Screen Area (HxW)	477.5x268.5 mm
Pixel Pitch	248
Scanning Frequency	30-83khz/55-75Hz
Pixel Frequency	148.5MHZ
Response time (GtG)	5 ms
Contrast (static)	1000:1
Contrast (dynamic)	100M:1
Brightness (typical)	250 cd/m²
Viewing angle (CR10)	170/160 °
OSD languages	EN, FR , ES, PT, DE, IT, NL, SE, FI, PL ,CZ, RU, KR, CN (T), CN (S), JP

Exterior

Monitor colour	Black
Bezel Type	Normal

Ergonomics

Vesa Wallmount	100x100
Swivel	0 °

Multimedia

Built-in Speakers	2 W x 2
-------------------	---------

Connectivity and Multimedia	
Signal Input	VGA, DVI
What's in the Box?	
VGA cable	1,8 m
Audio Cable	1,8 m
Power Cable C13	1,8 m
Power / Environmental	
Powersupply	Internal
Powersource	100 - 240V 50/60Hz
PowerConsumption On (Energystar)	18 watt
PowerConsumption Standby (Energystar)	0.5 watt
PowerConsumption Off (Energystar)	0.3 watt
Approbations / Regulations	
TCO	6
EPEAT	Yes
TUV-GS	✓
CE	✓
FCC	✓
EAC	✓
Rohs compliant	✓
Warranty	
Pixel Policy	ISO 9241-307
Warranty Period	3 Years
MTBF	50.000 hours
Dimensions / Weights	
Product height (mm)	373
Product width (mm)	511
Product depth (mm)	185
Packaging Dimensions (L x W x H)	567x437x118 mm
Product Dimensions (incl base)	511x373x185 mm
Gross Weight (including package)	4.09 Kg
Net Weight (excluding package)	2.7 Kg
Texts and USP	
Marketing title	21.5 inch 1920x1080@60Hz 5 ms TN VGA, DVI