

6U Wall-Mount Server Rack Cabinet - Up to 16.9 in. Deep

Product ID: RK616WALN	
	?

This 6U server rack cabinet lets you mount your EIA-310 compliant equipment to the wall. The enclosure features a mounting depth up to 16.9 in. and offers a maximum load capacity of 200 lb. (90 kg).

Save space in your office or server room

Save valuable floor space, by wall-mounting the enclosure. The wall-mounted design makes this enclosure the ideal solution for optimizing equipment storage in your classroom, retail store, server room or office. This rack also includes a 1U shelf that gives you a stable surface for storing your tools or placing equipment that's not rack-mountable.

Easily install your servers and network equipment

The wall-mount network rack makes it easy to install your equipment, with 2-post mounting rails that can be positioned to create more room at the front or the back of the enclosure depending on your requirements.

The 6U network cabinet features a removable and reversible front door and removable side panels, each with quick-release mechanisms, so you can easily access your equipment. Plus, each door and panel on this rack features an independent lock, ensuring your equipment is secure. The wall-mount server rack also includes all of the cage nuts and mounting screws you'll need to fill the rack with equipment, saving you the time, hassle and cost of sourcing mounting hardware.

For hassle-free cable management, the rack includes a 3-meter roll of hook-and-loop cable tie that makes it easy to keep your cables neat and tidy by binding them together or binding them to the rack. The self-gripping fabric can be cut to any size, enabling a wrap-around solution for the cables of any rack-mount equipment.

Securely protect your equipment

This server rack enclosure features heavy-duty steel construction, with lockable doors at all entrances. For hassle-free equipment installation, the mounting rails on the rack can be switched for use with square holes and cage nuts, or tapped rails.



Data Sheet

To ensure your equipment is running at an optimal temperature, the server rack/cabinet promotes passive cooling. It features mesh doors and vented top and bottom panels for maximum airflow.

For simple and sturdy mounting, the rack's mounting holes are positioned 16 in. apart, so you can securely attach it to a wall using wall studs.

The RK616WALM is backed by a StarTech.com 5-year warranty and free lifetime technical support.





Certifications, Reports and Compatibility



Applications

- Wall-mount your server and networking equipment flush against the wall, in areas with limited space, such as technology store fronts or repair centers
- Install the rack in your small office environment, where you can't fit a full-sized rack
- Organize cabling or equipment in your network closet, wiring closet, back office or IDF

Features

- Save space by wall-mounting your servers or networking equipment
- Easily install your equipment with mounting hardware included
- Secure your mission-critical equipment with a locked enclosure
- Maximize compatibility by switching the mounting rails between square cage nut holes or tapped 12-24 holes
- 1U shelf and hook-and-loop cable tie included



Data Sheet

Hardware Back Door Construction Solid Steel Frame Type Enclosed Cabinet Front Door Construction Steel Mesh Front Door Key Lock Yes Front Door Reversible and/or Removable Removable Mounting Options Wall-Mount Rack Type 2-Post Style Wall-Mount U Height 00 Wallmountable Yes Performance Weight Capacity (Stationary) 198.9 lb [90 kg] Physical Characteristics Enclosure Type Steel External Depth 17.7 in [45 cm] External Height 14.6 in [37 cm] External Width 23.6 in [60 cm] Internal Depth 16.9 in [43 cm] Internal Height 10.5 in [26.7 cm] Internal Width 17.7 in [45 cm] Product Height 14.6 in [37 cm] Product Height 14.6 in [37 cm] Product Length 17.7 in [45 cm] Product Width 23.6 in [60 cm] Product Width 23.6 in [60 cm] Product Width 23.			
Frame Type Front Door Construction Front Door Key Lock Front Door Reversible and/or Removable Removable Mounting Options Rack Type Style U Height Wall-Mount Wall-Mou		Warranty	5 Years
Front Door Construction Front Door Key Lock Front Door Reversible and/or Removable Removable Mounting Options Rack Type Style U Height U Height Wallmountable Performance Weight Capacity (Stationary) Physical Characteristics Enclosure Type External Depth External Height Internal Width Internal Height Internal Width Internal Width Internal Width Product Height Product Length Product Length Product Width Product Width Packaging Information Flat Pack (Assembly Required) What's in the Box Front Door Reversible and/or Wallmountable Wall-Mount Wall-	Hardware	Back Door Construction	Solid Steel
Front Door Key Lock Front Door Reversible and/or Removable Removable Mounting Options Mall-Mount Rack Type 2-Post Style Wall-Mount U Height U Height Wallmountable Performance Weight Capacity (Stationary) Physical Characteristics Enclosure Type External Depth External Height 17.7 in [45 cm] External Height 10.5 in [26.7 cm] Internal Depth Internal Depth Internal Width 17.7 in [45 cm] External Height 10.5 in [26.7 cm] Internal Width 17.7 in [45 cm] Foduct Height 17.7 in [45 cm] Foduct Height 17.7 in [45 cm] Raximum Mounting Depth 16.9 in [43 cm] 10.5 in [26.7 cm] 10.5 in [26.7 cm] 10.5 in [45 cm] Product Height 10.5 in [45 cm] Product Height 10.5 in [45 cm] Product Length Product Length Product Width 17.7 in [45 cm]		Frame Type	Enclosed Cabinet
Front Door Reversible and/or Removable Rell 198 16 19 08 19 09 19 19 19 19 19 19 19 19 19 19 19 19 19		Front Door Construction	Steel Mesh
Removable Removable Mounting Options Mall-Mount Rack Type 2-Post Style Wall-Mount U Height Wallmountable Performance Weight Capacity (Stationary) Physical Characteristics Enclosure Type External Depth External Height 17.7 in [45 cm] External Width 13.6 in [60 cm] Internal Height 10.5 in [26.7 cm] Internal Width 17.7 in [45 cm] Product Height 14.6 in [37 cm] Internal Width 17.7 in [45 cm] Internal Width 17.7 in [45 cm] Product Height 10.5 in [26.7 cm] Internal Width 17.7 in [45 cm] Product Length Product Width 23.6 in [60 cm] Product Length Product Width 23.6 in [60 cm] Packaging Information Shipping (Package) Weight 62.2 lb [28.1 kg] What's in the Box Included in Package 1 - wall-mount enclosure 1 - 1U shelf		Front Door Key Lock	Yes
Mounting Options Rack Type Performance Weight Capacity (Stationary) Physical Characteristics Enclosure Type External Depth External Height Internal Depth Internal Height Internal Height Internal Width Internal Height Internal Height Internal Height Internal Height Internal Width Internal W			Removable
Rack Type Style Wall-Mount			Removable
Style		Mounting Options	Wall-Mount
V Height Wallmountable Yes		Rack Type	2-Post
Performance Weight Capacity (Stationary) 198.9 lb [90 kg] Physical Characteristics Color Black Enclosure Type Steel External Depth 17.7 in [45 cm] External Height 14.6 in [37 cm] External Width 23.6 in [60 cm] Internal Depth 16.9 in [43 cm] Internal Height 10.5 in [26.7 cm] Internal Width 17.7 in [45 cm] Maximum Mounting Depth 16.5 in [42 cm] Product Height 14.6 in [37 cm] Product Length 17.7 in [45 cm] Product Width 23.6 in [60 cm] Packaging Information Flat Pack (Assembly Required) No Shipping (Package) Weight 62.2 lb [28.1 kg] What's in the Box Included in Package 1 - wall-mount enclosure 1 - 10 shelf		Style	Wall-Mount
Performance Weight Capacity (Stationary) 198.9 lb [90 kg] Physical Characteristics Color Black Enclosure Type Steel External Depth 17.7 in [45 cm] External Height 14.6 in [37 cm] Internal Depth 16.9 in [43 cm] Internal Height 10.5 in [26.7 cm] Internal Width 17.7 in [45 cm] Maximum Mounting Depth 16.5 in [42 cm] Product Height 14.6 in [37 cm] Product Length 17.7 in [45 cm] Product Width 23.6 in [60 cm] Packaging Information Shipping (Package) Weight 62.2 lb [28.1 kg] What's in the Box Included in Package 1 - wall-mount enclosure 1 - 1U shelf		U Height	6U
Physical CharacteristicsColorBlackEnclosure TypeSteelExternal Depth17.7 in [45 cm]External Height14.6 in [37 cm]External Width23.6 in [60 cm]Internal Depth16.9 in [43 cm]Internal Height10.5 in [26.7 cm]Internal Width17.7 in [45 cm]Maximum Mounting Depth16.5 in [42 cm]Product Height14.6 in [37 cm]Product Length17.7 in [45 cm]Product Width23.6 in [60 cm]Packaging InformationFlat Pack (Assembly Required)NoShipping (Package) Weight62.2 lb [28.1 kg]What's in the BoxIncluded in Package1 - wall-mount enclosure1 - 1U shelf		Wallmountable	Yes
Characteristics Enclosure Type Steel External Depth 17.7 in [45 cm] External Height 14.6 in [37 cm] External Width 23.6 in [60 cm] Internal Depth 16.9 in [43 cm] Internal Height 10.5 in [26.7 cm] Internal Width 17.7 in [45 cm] Maximum Mounting Depth 16.5 in [42 cm] Product Height 14.6 in [37 cm] Product Length 17.7 in [45 cm] Product Width 23.6 in [60 cm] Packaging Information Flat Pack (Assembly Required) No Shipping (Package) Weight 62.2 lb [28.1 kg] What's in the Box Included in Package 1 - wall-mount enclosure 1 - 1U shelf	Performance	Weight Capacity (Stationary)	198.9 lb [90 kg]
External Depth 17.7 in [45 cm]	=	Color	Black
External Height 14.6 in [37 cm] External Width 23.6 in [60 cm] Internal Depth 16.9 in [43 cm] Internal Height 10.5 in [26.7 cm] Internal Width 17.7 in [45 cm] Maximum Mounting Depth 16.5 in [42 cm] Product Height 14.6 in [37 cm] Product Length 17.7 in [45 cm] Product Width 23.6 in [60 cm] Packaging Information Shipping (Package) Weight 62.2 lb [28.1 kg] What's in the Box Included in Package 1 - wall-mount enclosure 1 - 1U shelf		Enclosure Type	Steel
External Width 23.6 in [60 cm] Internal Depth 16.9 in [43 cm] Internal Height 10.5 in [26.7 cm] Internal Width 17.7 in [45 cm] Maximum Mounting Depth 16.5 in [42 cm] Product Height 14.6 in [37 cm] Product Length 17.7 in [45 cm] Product Width 23.6 in [60 cm] Packaging Information Flat Pack (Assembly Required) Shipping (Package) Weight 62.2 lb [28.1 kg] What's in the Box Included in Package 1 - wall-mount enclosure 1 - 1U shelf		External Depth	17.7 in [45 cm]
Internal Depth Internal Height Internal Height Internal Width Internal Meight Intern		External Height	14.6 in [37 cm]
Internal Height 10.5 in [26.7 cm] Internal Width 17.7 in [45 cm] Maximum Mounting Depth 16.5 in [42 cm] Product Height 14.6 in [37 cm] Product Length 17.7 in [45 cm] Product Width 23.6 in [60 cm] Packaging Information Shipping (Package) Weight 62.2 lb [28.1 kg] What's in the Box Included in Package 1 - wall-mount enclosure 1 - 1U shelf		External Width	23.6 in [60 cm]
Internal Width 17.7 in [45 cm] Maximum Mounting Depth 16.5 in [42 cm] Product Height 14.6 in [37 cm] Product Length 17.7 in [45 cm] Product Width 23.6 in [60 cm] Packaging Information Shipping (Package) Weight 62.2 lb [28.1 kg] What's in the Box Included in Package 1 - wall-mount enclosure 1 - 1U shelf		Internal Depth	16.9 in [43 cm]
Maximum Mounting Depth 16.5 in [42 cm] Product Height 14.6 in [37 cm] Product Length 17.7 in [45 cm] Product Width 23.6 in [60 cm] Packaging Information Shipping (Package) Weight 62.2 lb [28.1 kg] What's in the Box Included in Package 1 - wall-mount enclosure 1 - 1U shelf		Internal Height	10.5 in [26.7 cm]
Product Height Product Length Product Length Product Width Product Width Packaging Information Flat Pack (Assembly Required) Shipping (Package) Weight Mat's in the Box Included in Package 1 - wall-mount enclosure 1 - 1U shelf		Internal Width	17.7 in [45 cm]
Product Length 17.7 in [45 cm] Product Width 23.6 in [60 cm] Packaging Information Flat Pack (Assembly Required) No Shipping (Package) Weight 62.2 lb [28.1 kg] What's in the Box Included in Package 1 - wall-mount enclosure 1 - 1U shelf		Maximum Mounting Depth	16.5 in [42 cm]
Product Width 23.6 in [60 cm] Packaging Information Flat Pack (Assembly Required) No Shipping (Package) Weight 62.2 lb [28.1 kg] What's in the Box Included in Package 1 - wall-mount enclosure 1 - 1U shelf		Product Height	14.6 in [37 cm]
Packaging Information Flat Pack (Assembly Required) Shipping (Package) Weight 62.2 lb [28.1 kg] What's in the Box Included in Package 1 - wall-mount enclosure 1 - 1U shelf		Product Length	17.7 in [45 cm]
Information Shipping (Package) Weight 62.2 lb [28.1 kg] What's in the Box Included in Package 1 - wall-mount enclosure 1 - 1U shelf		Product Width	23.6 in [60 cm]
What's in the Box Included in Package 1 - wall-mount enclosure 1 - 1U shelf		Flat Pack (Assembly Required)	No
1 - 1U shelf		Shipping (Package) Weight	62.2 lb [28.1 kg]
	What's in the Box	Included in Package	1 - wall-mount enclosure
1 - roll of hook-and-loop fastener			1 - 1U shelf
1 Toll of Hook and Toop fusterier			1 - roll of hook-and-loop fastener



Data Sheet

- 24 12-24 cage nuts
- 24 12-24 screws
- 2 door keys
- 2 side panel keys
- 1 instruction manual

Product appearance and specifications are subject to change without notice.